

# Environmental Product Declaration

In accordance with ISO 14025 and EN 15804 +A2





The Norwegian EPD Foundation

Owner of the declaration: ROCKWOOL Nordics

**Program holder and publisher:** The Norwegian EPD foundation

**Declaration number:** NEPD-3410-2023-EN

**Registration Number:** NEPD-3410-2023-EN

**Issue date:** 24.03.2022 **Valid to:** 24.03.2027

**Product name:**ROCKWOOL® Granulate thermal insulation for the Nordics market

**Manufacturer** ROCKWOOL Nordics

#### General information

#### Product:

ROCKWOOL® Granulate thermal insulation for the Nordics market

#### Program Operator:

The Norwegian EPD Foundation Post Box 5250 Majorstuen, 0303 Oslo, Norway

Tlf: +47 23 08 80 00 e-mail: post@epd-norge.no

#### **Declaration Number:**

NEPD-3410-2023-EN

# This declaration is based on Product Category Rules:

CEN Standard EN 15804+A2 serves as core PCR NPCR Part A Construction products and services NPCR 012:2018 version 2. Part B for Thermal insulation products

#### **Statements:**

The owner of the declaration shall be liable for the underlying information and evidence. EPD Norway shall not be liable with respect to manufacturer, life cycle assessment data and evidences.

#### Declared unit:

1  $m^2$  of stone wool thermal insulation with a thermal resistance (R) of 1,0  $m^2$ K/W.

#### **Functional unit:**

1 m2 of stone wool thermal insulation with a thermal resistance (R) of 1,0  $\,\mathrm{m}^2\mathrm{K}/\mathrm{W}$  with a reference service life of minimum 60 years.

#### Verification:

Independent verification of the declaration and data, according to ISO14025:2010

internal external 🛛

Jane Anderson

Jane Anderson, ConstructionLCA Ltd Independent verifier approved by EPD Norway

#### Owner of the declaration:

**ROCKWOOL Nordics** 

Contact person: Christian J. Kofod

Phone: +45 4656 1616

e-mail: christian.kofod@rockwool.com

#### Manufacturer:

ROCKWOOL Nordics,

Hovedgaden 501, DK-2640 Hedehusene

Phone: +45 4656 1616 e-mail: info@rockwool.com

#### Place of production:

Doense factory (Biomethane line), Denmark

#### Management system:

ISO 14001, ISO 9001

#### Organisation no:

CVR. nr. 42391719

#### Issue date:

24.03.2022

#### Valid to:

24.03.2027

#### Year of study:

2021

#### Comparability:

EPDs of construction products may not be comparable if they are not compliant with EN 15804:A2:2019 and not seen in a building context.

#### The EPD has been worked out by:

Larisa Xanthopoulou, ROCKWOOL Int. A/S



Approved (Manager of EPD Norway)

#### **Product**

#### Description of the product and use of the EPD:

This EPD documents the potential environmental impacts of  $1m^2$  of ROCKWOOL® stone wool insulation with a thermal resistance (R-value) equal to  $1m^2$ K/W. The intended use of the EPD is to communicate quantified environmental impacts of construction products for application in the assessment of the environmental performance of buildings.

ROCKWOOL® stone wool thermal insulation is a durable and firesafe insulation material that can be used to insulate against against heat, cold, fire, vibrations and noise.

ROCKWOOL® stone wool is made primarily from abundantly available volcanic rock, an increasing proportion of recycled ROCKWOOL® stone wool material and a cured resin binder. Other materials utilised in the production of ROCKWOOL® stone wool are by-products from other industries. Since 2012, ROCKWOOL® has been offering a take back system for closed loop recycling – Rockcycle.

The products covered by this declaration are ROCKWOOL® Granulate thermal insulation produced for the Nordic market (Denmark, Sweden, Norway and Finland). The unfaced and uncoated synthetic resin-bonded stone wool materials described in this declaration are produced in the form of granulate. The density of the product as installed can vary according to end use insulation requirements. Typical density as installed is within 28-70 kg/m³.

ROCKWOOL® stone wool is a non-combustible material that does not react to fire. Stone wool's built-in fire protection is natural and not dependent on flame retardants. Stone wool withstands temperatures exceeding 1,000 degrees Celsius, and retains its fire performance throughout its lifetime.

The insulation properties of stone wool is primarily achieved by the immobile air within in the open structure of the product. Therefore, the declared insulation property will remain constant for the declared lifetime of the product. This also allows the product to absorb noise and sounds and contribute to a better indoor acoustic climate.

ROCKWOOL® stone wool fibers are proven to be safe to manufacture, install and live with. Health and safety installation instructions shall always be followed. ROCKWOOL® stone wool fibers comply with the European REACH regulation and do not have any health-related classifications or negative impact on the indoor environment.

The packaging is included in the assessment.

#### Product specification:

The average composition used for this EPD is calculated based on average factory consumption figures for raw materials.. The raw materials are mainly non-scarce stones, and resin binder.

Materials	%
Mineral Wool	> 95%
De-duster and water repellency oil	<1%
Binder	<5%

#### Technical data:

For the products covered by this EPD, the performance data are in accordance with the declaration of performance with respect to its essential characteristics according to EN 13162:2012+A1:2015, "Thermal insulation products for buildings – Factory made mineral wool (MW) products – Specification".

A full overview of the technical specifications can be found on www.rockwool.com/dk

Declared	Performance		Norms
Thermal conductivity	Density (kg/m³) 28	Lambda (W/mK) 0,041	EN 12939 and EN 12667
Fire class	A1		EN 13501-1:2007+ A1:2009

#### Market:

This EPD is intended for the Nordics market (A4 module can be adjusted with scaling factors provided to reflect correct transportation distance for a specific market whithin Nordics).

#### Reference service life, product:

ROCKWOOL® stone wool thermal insulation products are extremely durable and provide effective performance for the lifetime of a building or host structure, with no need to be replaced. The thermal, fire-resistance, and acoustic performance of ROCKWOOL® stone wool products, when correctly installed, remains the same during 60 years reference service life or as long as the insulation is part of the building.

#### Reference service life, building:

In this EPD, the reference service life of a building is set to 60 years.

#### LCA: Calculation rules

Declared unit	$1m^2$ of ROCKWOOL® Granulate with a thermal resistance RD= $1m^2K/W$ .
Density of reference product	28 kg/m <sup>3</sup>
Thickness of reference product	41 mm
Scope	Cradle to Grave
Reference service life	60 years
Energy used for manufacturing process - Electricity	Renewable electricity mix GO's from Danish wind power, to be prolonged to be valid at least equal to the validity of this EPD.
- Gas	Biogas (Danish biomethane)

#### Declared unit:

The specific product, referred to in the declared unit is  $1m^2$  of ROCKWOOL® Granulate Pro with a thermal resistance R= $1m^2$ K/W. The reference product is 41 mm with an installed density of  $28 \text{ kg/m}^3$ . The weight of the reference product corresponding to the declared unit is 1,15 kg.

The impact indicators for another specific product can be calculated by multiplying the results of the EPD with the respective scaling factor from a range of products covered by this EPD. A table with the different products available in the portfolio and their respective scaling factors is provided within the 'Additional technical information' section.

#### Data quality:


All data represents the applicable geography, time and technology for the specific and generic data, generally assessed as good and very good. Primary data are collected from respective production site in Doense, Denmark, in the reference year 2021 and represent stabilized production. Generic data is from GaBi database (version 2021) with GaBi Software version 10.0.1.92.

#### Allocation:

The allocation is made in accordance with the provisions of EN 15804+A2. Production activities, electricity and energy consumption and waste generation are allocated equally among all products from the production site through mass allocation.

#### System boundary:

The LCA is performed as a 'cradle-to-grave' study, addressing all life cycle stages identified in the EN 15804+A2. All major raw materials, energy, electricity use and waste are included for all life cycle modules, see flowchart below. Use stage B1-7 modules are considered but are not relevant, as there are no activities and no significant environmental impact in the use stage.



#### Cut-off criteria:

All major raw materials and all the essential energy are included. All hazardous materials and substances are considered in the inventory. Data sets within the system boundary are complete and fulfil criteria for the exclusion of inputs and output criteria. All data, materials and energy consumptions , have been specified according to the production data and have been considered within the inventory analysis

#### LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD. The EPD is based on LCA inventory data from Doense factory (biomethane line).

Transport from production place to assembly/user (A4)

Туре	Capacity utilisation (incl. return) %	Type of vehicle	Distance KM	Fuel/Energy consumption	value (l/t)
Truck	30 %	Euro 6, with a 27t payload	261	Diesel: 0,019 l/tkm	4,03 l/t
Ship	40 %	Ship container	55	Heavy fuel oil 0,004 kg/tkm	0,22 kg/t

The A4 distance is calculated as weighted average distance for the Nordics market.

Additional distances estimated for transportation from Doense factory to other markets are given in the table below

Market	Distance	A4, GWP fossil
Denmark	212 km truck	2,15E-02 kg CO2 eq
Finland	300 km truck + 1383 km ferry	5,35E-02 kg CO2 eq
Norway	300 km truck	3,01E-02 kg CO2 eq
Sweden	398 km truck	4,09E-02 kg CO2 eq

Assembly (A5)

	Unit	Value
Auxiliary	Kg	0
Water consumption	m3	0
Electricity consumption	kWh	0
Other energy carriers	MJ	0
Material loss	Kg	2%
Cardboard and paper packaging	Kg	0,00008
Plastic packaging	Kg	0,01
Wood packaging	Kg	0,030

In A5 the default installation is assumed to be manual, therefore no energy consumption or ancillary equipment is needed. The product waste from installation is assumed to be 2% and according to the modularity principle of EN 15804+A2 its impacts are fully allocated to A5, following same EoL scenario as in C. The A5 module includes also the corresponding end-of-life considerations for packaging (10 % landfill). The credits from heat and electricity recovery from incineration or material recycling from module A5 (90% recycling and energy recovery) are attributed to module D.

#### Use stage (B1, B2, B3, B4, B5, B6, B7)

There are no consumables and no maintenance (B2), repair (B3), replacements (B4) or refurbishments (B5) required during the use of ROCKWOOL® thermal insulation products in standard conditions. They do not use energy (B6) or water (B7) during their operational life. No significant emissions to the indoor environment occur in module (B1). Therefore, modules B1-B are not relevant for this EPD.

#### End of Life (C1, C3, C4)

	Unit	Value
Hazardous waste disposed	%	0
Collected as mixed construction waste	%	100
Reuse	%	0
Energy recovery	%	0
To recycling	%	10
To landfill	%	90

ROCKWOOL stone wool insulation can be recycled via RockCycle or local recycling offerings.

#### Transport to waste processing (C2)

Ту	уре	Capacity utilisation (incl. Return) %	Type of vehicle	Distance KM	Fuel/Energy consumption	value (l/t)
	ruck, uro 6	50%	Truck, with 17,3 t payload	100 km	Diesel: 0,025 l/tkm	2,5 l/t

The distance represents an average distance to waste treatment facility or landfill.

#### Benefits and loads beyond the system boundaries (D)

	Unit	Value
Packaging recycled	kg	0,01
Energy recovered	MJ	0,22
Stone wool for recycling	kg	0,096

Benefits in module D are created from packaging materials treatment after installation and recycling potential of stone wool in the end of life. Quantities of packaging materials include both recycled materials and materials sent for energy recovery. Recycling potential of net stone wool material is considered here.

#### Additional technical information

Below a list of products covered by this EPD and their scaling factors. The scaling factor can be used to estimate the environmental performance indicators for the specific products.

			Installe	Scaling factors			
Product name	Angle of installation	lambd a	d Density (kg/m³)	1 m2, R=1	1 kg	1 m3	
Granulate Pro							
Open horizontal installations* (reference product)	0.	0,041	28	1	0,87	24	
Closed constructions	0-25 °	0,038	35	1,2	0,87	30	
Closed constructions	25-45°	0,037	43	1,4	0,87	37	
Closed constructions	45-90°	0,037	50	1,6	0,87	44	
Granulate Multi							
Cavity wall	-	0,037	60	1,9	0,87	52	
Closed constructions other than cavity wall	0.	0,037	65	2,1	0,87	57	
Closed constructions	0-90	0,037	70	2,3	0,87	64	

<sup>\*</sup> Typically installed as attic insulation

#### LCA: Results

System boundaries (X=included, MND= module not declared, MNR=module not relevant)

	(legy) duct s		Constr sta	uction	Use stage End of life stage					Benefits & loads beoyond system boundary						
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling- potential
A1	A2	А3	A4	A5	B1	B2	В3	B4	В5	В6	В7	C1	C2	C3	C4	D
X	X	X	X	X	MNR	MNR	MNR	MNR	MNR	MNR	MNR	X	X	X	X	X

#### How to read scientific notation

Scientific notation	Decimal form
1,00E-01	0,1
1,00E-02	0,01
1,00E-03	0,001
1,00E-04	0,0001
1,00E-05	0,00001

#### Core environmental impact indicators

Indicator	Unit	A1-3	A4	A5	B1-B7	C1	C2	С3	C4	D		
		4,07E-01	2,76E-02	6,68E-02	MNR	0	4,19E-03	0	1,57E-02	-2,66E-02		
GWP-total	kg CO2	Globa	l Warming P	otential-tota	l is the sun	of GWI	P-fossil, GWP	-bioge	nic and GWP	luluc.		
dwi totai	eq.		GWP measures the Carbon Dioxide (CO2) and other greenhouse gas emissions associated with the product									
	kg CO2	4,55E-01	2,74E-02	1,62E-02	MNR	0	4,15E-03	0	1,56E-02	-2,92E-02		
GWP-fossil	eq.	GWP-fossil t	GWP-fossil takes into account the GWP of greenhouse gas emissions from fossil fuels or fossil carbon containing substances (e.g. combustion, landfilling, etc.).									
GWP-	kg CO2	-4,97E-02	0,00E+00	5,05E-02	MNR	0	0,00E+00	0	0,00E+00	2,63E-03		
biogenic	eq.	GWP-biogen	ic represents		neric CO2 a			s grov	wth and emitt	ted during eg		
GWP-	kg CO2	4,29E-04	2,18E-04	1,68E-05	MNR	0	3,43E-05	0	4,60E-05	-4,52E-06		
LULUC	eq.								se gas emissi e, eg deforesta			
0.00	kg CFC11	3,65E-09	3,49E-18	1,30E-10	MNR	0	5,34E-19	0	6,08E-17	-3,01E-15		
ODP	eq.	The O Deviction Detected describes the metallic of deviction of the control of								er. High ODP		
AP	mol H <sup>+</sup>	7,27E-03	5,78-05	1,63E-04	MNR	0	4,39E-06	0	1,11E-04	-8,34E-05		
	eq.	The Acidification Potential reflects the potential to cause the acid deposition or "acid rain"										
EP-	lra D oa	6,66E-06	4,86E-07	2,05E-07	MNR	0	1,24E-08	0	2,62E-08	-1,31E-08		
freshwater	kg P eq.								f algae and d compartmen			
EP-marine	kg N eq.	9,90E-04	1,60E-05	2,64E-05	MNR	0	1,45E-06	0	2,90E-05	-1,68E-05		
			As	above, but e	mitted to	he mari	ne end comp	artme	ent.			
EP-	mal N ag	2,80E-02	1,83E-04	6,23E-04	MNR	0	1,71E-05	0	3,17E-04	-1,85E-04		
terrestrial	mol N eq.	<b>E</b> utrophica	tion <b>P</b> otentio		Indicator f sed nutriei		ammonia.	estria	l ecosystems v	v. nitrogen-		
POCP	kg NMVOC	2,13E-03	4,54E-05	5,85E-05	MNR	0	3,84E-06	0	8,76E-05	-5,43E-05		
	eq.								fested as smo			
ADP-M&M	lra Ch oa	2,52E-07	2,05E-09	5,72E-09	MNR	0	3,19E-10	0	1,47E-09	-5,44E-09		
ADF-W&W	kg Sb eq.	Abiotic Depletion Potential for non-fossil resources (minerals and metals); relates to the consumption and scarcity of minerals and metals.										
ADD fo soil	MI	5,50E+00	3,65E-01	1,88E-01	MNR	0	5,57E-02	0	2,08E-01	-7,39E-01		
ADP-fossil	MJ	Abiotic De					or the petroc			on of fossil		
WDP	m <sup>3</sup>	1,20E-01	2,32E-04	7,87E-03	MNR	0	3,63E-05	0	1,68E-03	-1,07E-02		
WDP	m°								potential imp nd ecosystem:			

GWP-total: Global Warming Potential; GWP-fossil: Global Warming Potential fossil fuels; GWP-biogenic: Global Warming Potential biogenic; GWP-LULUC: Global Warming Potential land use and land use change; ODP: Depletion potential of the stratospheric ozone layer; AP: Acidification potential, Accumulated Exceedance; EP-freshwater: Eutrophication potential, fraction of nutrients reaching freshwater end compartment; See "additional Norwegian requirements" for indicator given as PO4 eq. EP-marine: Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-terrestial: Eutrophication potential, Accumulated Exceedance; POCP: Formation potential of tropospheric ozone; ADP-M&M: Abiotic depletion potential for non-fossil resources (minerals and metals); ADP-fossil: Abiotic depletion potential for fossil resources; WDP: Water deprivation potential, deprivation weighted water counsumption

Reading example: 9.0 E-03 = 9.0\*10-3 = 0.009

#### Additional environmental impact indicators

Indicator	Unit	A1-3	A4	A5	B1-B7	C1	C2	С3	C4	D		
PM	Disease	6,02E-08	7,34 E-10	1,34E-09	MNR	0	2,53E-11	0	1,38E-09	-1,18E-09		
	incidence	<b>P</b> articula	Particulate Matter. An indicator for potential disease incidences (occurrences) linked to emissions of particulate matter from, e.g. diesel engines.									
	kBg U235	5,80E-03	6,32E-05	9,46E-04	MNR	0	9,65E-06	0	2,29E-04	-4,73E-04		
IRP	eq.	Ionising <b>r</b> a	Ionising radiation Potential relates to the possible damage to human health from exposure to low level radiation linked to generation of nuclear energy only.									
ETP-fw	CTUe	2,25E+00	2,64E-01	8,05E-02	MNR	0	4,03E-02	0	1,18E-01	-2,75E-02		
		<b>E</b> co <b>t</b> o	Ecotoxicity Potential-freshwater. Potential toxic effects on freshwater species of emissions of substances/chemicals.									
		1,83E-09	5,31E-12	3,85E-11	MNR	0	8,12E-13	0	1,75E-11	-3,42E-12		
HTP-c	CTUh	Human toxicity potential - cancer effects. Potential carcinogenic impacts on people from the emissions of substances and chemicals										
	CTUh	4,02E-09	2,73E-10	2,32E-10	MNR	0	4,20E-11	0	1,92E-09	-1,47E-10		
HTP-nc		Human toxicity Potential - non-cancer effects. Potential toxic effects on humans other than carcinogenic from the emission of substances and chemicals.										
	Dimension- less	1,33E+01	1,22E-01	2,80E-01	MNR	0	1,91E-02	0	4,20E-02	-5,47E-01		
SQP		<b>S</b> oil <b>Q</b> uality	Soil Quality Potential. Indicator representing factors impacting soil quality, e.g. erosion, filtration ability and groundwater regeneration.									

**PM:** Particulate matter emissions; **IRP:** Ionising radiation, human health; **ETP-fw:** Ecotoxicity (freshwater); **ETP-c:** Human toxicity, cancer effects; **HTP-nc:** Human toxicity, non-cancer effects; **SQP:** Land use related impacts / soil quality

Classification of disclaimers to the declaration of core and additional environmental impact indicators

	T	
ILCD classification	Indicator	Disclaimer
	Global warming potential (GWP)	None
ILCD type / level 1	Depletion potential of the stratospheric ozone layer (ODP)	None
	Potential incidence of disease due to PM emissions (PM)	None
	Acidification potential, Accumulated Exceedance (AP)	None
	Eutrophication potential, Fraction of nutrients reaching freshwater end compartment (EP-freshwater)	None
11 CD +	Eutrophication potential, Fraction of nutrients reaching marine end compartment (EP-marine)	None
incu type / ievei z	Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	None
	Formation potential of tropospheric ozone (POCP)	None
	Potential Human exposure efficiency relative to U235 (IRP)	1
	Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	2
	Abiotic depletion potential for fossil resources (ADP-fossil)	2
	Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	2
ILCD type / level 3	Potential Comparative Toxic Unit for ecosystems (ETP-fw)	2
	Potential Comparative Toxic Unit for humans (HTP-c)	2
	Potential Comparative Toxic Unit for humans (HTP-nc)	2
	Potential Soil quality index (SQP)	2

**Disclaimer 1** – This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

Disclaimer 2 - The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

#### Resource use

Indicator	Unit	A1-3	A4	A5	B1-B7	C1	C2	C3	C4	D		
		1,78E+01	1,98E-02	3,74E-01	MNR	0	3,11E-03	0	2,79E-02	-1,30E-01		
RPEE	MJ	Renewable Primary Energy used as Energy carrier only.										
		Typically, renewable energy from Biomethane, windmills or hydropower										
		5,63E-01	0,00E+0	-1,69E-02	MNR	0	0,00E+00	0	0,00E+00	0,00E+00		
RPEM	MJ	<b>R</b> enewable					als – indicates t ane as feedsto		mption of energ	gy resources		
TPE	MJ	1,84E+01	1,98E-02	3,57E-01	MNR	0	3,11E-03	0	2,79E-02	-1,30E-01		
IPE	IVIJ		Total use of renewable primary energy resources (RPEE+RPEM)   5,50E+00 3,66E-01 1,88E-01 MNR 0 5,57E-02 0 2,08E-01 -7,82E-01									
		5,50E+00	3,66E-01	1,88E-01	MNR	0	5,57E-02	0	2,08E-01	-7,82E-01		
NRPE	MJ	Non r	enewable <b>p</b> r	imary <b>e</b> nergy		rgy carri insporta		from foss	il fuel power pl	ants or		
		3,89E-01	0,00E+0	-1,17E-02	MNR	0	0,00E+00	0	0,00E+00	0,00E+00		
NRPM	MJ	Non <b>r</b> enewa	ble <b>p</b> rimary				erials, e.g. oil de ustry / plastics		sed as feedstock	k material for		
TRPE	MJ	5,88E+00	3,66E-01	1,77E-01	MNR	0	5,57E-02	0	2,08E-01	-7,82E-01		
IKPE	IVIJ	<b>T</b> otal use of non-renewable <b>p</b> rimary <b>e</b> nergy resources (NRPE+NRPM)										
SM	kg	0,00E+00	0,00E+0	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	1,04E-01		
SIVI	ĸg	<b>S</b> econdary <b>m</b> aterials, use of recycled material, e.g. return wool										
		0,00E+00	0,00E+0	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	0,00E+00		
RSF	MJ	<b>R</b> enewable <b>s</b> econdary fuels. E.g. used frying oil. Renewable secondary fuels can represent a limited resource why increased consumption potentially can create shortages.										
NRSF	MJ	0,00E+00	0,00E+0	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	0,00E+00		
INNOF	IVIJ			Non-r	enewable <b>s</b> e	econdary	<b>f</b> uels, e.g. wast	e oil				
		3,00E-03	2,27E-05	1,96E-04	MNR	0	3,55E-06	0	5,13E-05	-2,89E-04		
W	m <sup>3</sup>	net freshwa	ter consumpt	tion. Fresh wa		ed resou al shorta		onsumpti	ion of fresh wat	er can create		

RPEE Renewable primary energy resources used as energy carrier; RPEM Renewable primary energy resources used as raw materials; TPE Total use of renewable primary energy resources; NRPE Non renewable primary energy resources used as energy carrier; NRPM Non renewable primary energy resources used as materials; TRPE Total use of non renewable primary energy resources; SM Use of secondary materials; RSF Use of renewable secondary fuels; NRSF Use of non renewable secondary fuels; W Use of net fresh water

#### End of life - Waste

Parameter	Unit	A1-3	A4	A5	B1-B7	C1	C2	С3	C4	D		
HW	l.o.	2,57E-07	1,79E-11	5,15E-09	MNR	0	2,81E-12	0	2,21E-11	-4,16E-10		
п٧٧	kg		<b>H</b> azardous <b>w</b> aste, collected and sent special treatment									
		2,78E-02	5,39E-05	2,52E-02	MNR	0	8,27E-06	0	1,04E+00	-1,09E-02		
NHW kg		Non-Hazardous Waste Disposed consists of inactive (inert) waste e.g. construction waste that typically is sent to landfill. An increased fraction is sent to reuse or recycling.										
RW	kg	1,91E-05	4,41E-07	6,31E-06	MNR	0	6,74E-08	0	2,17E-06	-4,31E-06		
		Radioactive Waste Disposed. Mainly represents waste from nuclear power plants.										

HW Hazardous waste disposed; NHW Non hazardous waste disposed; RW Radioactive waste disposed

#### End of life – output flow


Parameter	Unit	A1-3	A4	A5	B1-B7	C1	C2	C3	C4	D	
CR	lv or	0,00E+00	0,00E+00	0,00E+00	MNR	0	0,00E+00	0,00E+00	0	0,00E+00	
CK	kg	<b>C</b> ompon	ents for <b>R</b> e-Us	e. Materials o	r compon	ents wh	ich are re-usea	l outside the sy	stem bo	oundary.	
MD	1	0,00E+00	0,00E+00	1,05E-02	MNR	0	0,00E+00	1,04E-01	0	0,00E+00	
MR	kg		<b>M</b> aterials	for <b>R</b> ecycling	g. Materia	ls recycl	ed outside the	system bound	ary		
		0,00E+00	0,00E+00	0,00E+00	MNR	0	0,00E+00	0,00E+00	0	0,00E+00	
MER kg		<b>M</b> aterials for <b>E</b> nergy <b>R</b> ecovery. Materials utilised in power plants as secondary fuels outside the system boundary									
PPP		0,00E+00	0,00E+00	5,55E-02	MNR	0	0,00E+00	0,00E+00	0	0,00E+00	
EEE kg	кg	Exported electrical energy: Electrical energy from incineration of waste or landfill gas									
ETE kg	lea	0,00E+00	0,00E+00	1,66E-01	MNR	0	0,00E+00	0,00E+00	0	0,00E+00	
	кg	<b>E</b> xport	ed <b>t</b> hermal en	ergy. Therma	l energy, e	.g. stear	n from inciner	ation of waste	or land	fill gas	

CR Components for reuse; MR Materials for recycling; MER Materials for energy recovery; EEE Exported electric energy; ETE Exported thermal energy

#### Information describing the biogenic carbon content at the factory gate

Biogenic carbon content	Unit	Value
Biogenic carbon content in product	kg C	0
Biogenic carbon content in the accompanying packaging	kg C	0,014

#### **GWP-total** interpretation



The main GWP contribution from the product life cycle is linked to the Product stage (A1-A3). This is primarily related to the materials delivered to the factory gate and consumption of electricity.

The energy consumption linked to A3, is calculated and verified externally as 100% renewable electricity from Danish windpower and 100% Danish biogas. This investment in low carbon energy sources secures a significantly lower GWP-total (A1-C4) as compared to conventional energy sources (approximately 40%).

The CO<sub>2</sub> absorbed by the wood in the wooden pallets is represented by a negative GWP-biogenic. This reduces the GWP-total (A1-A3) by approximately 11%.

The GWP-Biogenic, ie the carbon stored in the wooden pallets, is released during the construction stage phase (A5) where the wood is presumed incinerated with energy recovery.

The benefits from energy recovery (a negative GWP) from incineration of packaging materials (wood pallets and plastic foils) is allocated to Benefits & Loads beyond system (D).

Approximately 50% of the GWP-total from the assembly phase (A5) is linked to fosssil emissions from incineration of plactic foils and handling of surplus stone wool/installation waste (2%).

Impacts linked to end of life stages (C1-C4) are primarily linked to transportation of stone wool to recycling or to landfill.

Melting virgin materials or re-melting returned ROCKWOOL stone wool are both similarly energy intensive processes. Increasing the recycling rate for return wool, will therefore not lead to great variations in the overall GWP profile. However, increased recycling will be linked directly to reduction of waste sent to landfill.

#### Additional Norwegian requirements

#### Greenhouse gas emission from the use of electricity in the manufacturing phase

The calculations of applied electricity and gas for the manufacturing process (A3) are made taking into account 100% renewable electricity from Danish wind power and 100% Danish biogas use. The renewable sources of energy and electricity are evidenced by Guarantee of Origin certificates (GOs).

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) for wind power electricity production.

National electricity grid (with GOs)	Unit	Value
Denmark, Wind power, GaBi version 10.0.1 (2021)	kg CO2 -eq/kWh	0,006

# Additional GWP results calculations using the physical national electricity grid mix and gas mix (energy sources without a guarantees of origins)

National electricity grid	Unit	Value
Denmark, GaBi version 10.0.1 (2021)	kg CO2 -eq/kWh	0,240

Indicator	Unit	A1-3
GWP-total	kg CO2 eq.	7,04E-01
GWP-fossil	kg CO2 eq.	7,52E-01
GWP-biogenic	kg CO2 eq.	-4,87E-02
GWP-LULUC	kg CO2 eq.	4,82E-04

The complete additional results for all the impact categories representing the calculations without guarantees of origins, applying Danish national production mix for electricity and natural gas for gas are given in Appendix: Additional LCA Results without GOs.

## Additional environmental impact indicators required in NPCR Part A for construction products

In order to increase the transparency of biogenic carbon contribution to climate impact, the indicator for GWP has been sub-divided into the following:

GWP-IOBC Climate impacts calculated according to the principle of instantaneous oxidation GWP-BC Climate impacts from the net uptake and emission of biogenic carbon from each module.

In addition, EP-freshwater shall also declared as PO4 eq.

Indicator	Unit	A1-3	A4	A5	В	C1	C2	С3	C4	D
EP- freshwater*	kg PO4 eq.	8,26E-04	2,80E-05	2,35E-05	MNR	0	6,51E-07	0	1,01E-05	-5,81E-06
GWP-IOBC	kg CO2 eq.	4,55E-01	2,76E-02	1,63E-02	MNR	0	4,19E-03	0	1,57E-02	-2,92E-02
GWP-BC	kg CO2 eq.	-4,97E-02	0,00E+00	5,05E-02	MNR	0	0,00E+00	0	0,00E+00	2,63E-03
GWP	kg CO2 eq.	4,06E-01	2,76E-02	6,68E-02	MNR	0	4,19E-03	0	1,57E-02	-2,66E-02

**EP-freshwater\*** Eutrophication potential, fraction of nutrients reaching freshwater end compartment. Declared as PO4 eq. **GWP-IOBC** Global warming potential calculated according to the principle of instantaneous oxidation. **GWP-BC** Global warming potential from net uptake and emissions of biogenic carbon from the materials in each module. **GWP** Global warming potential

#### Hazardous substances

The declaration is based upon reference to threshold values and/or test results and/or material safety data sheets provided to EPD verifiers. Documentation available upon request to EPD owner.

- The product contains no substances given by the REACH Candidate list or the Norwegian priority list.
- ☐ The product contains substances given by the REACH Candidate list or the Norwegian priority list that are less than 0,1 % by weight.
- ☐ The product contain dangerous substances, more then 0,1% by weight, given by the REACH Candidate List or the Norwegian Priority list, see table.
- ☐ The product contains no substances given by the REACH Candidate list or the Norwegian priority list. The product is classified as hazardous waste (Avfallsforskiften, Annex III), see table.

Mineral wool fibers produced by ROCKWOOL are classified as non-hazardous under REACH (Regulation (EC) No 1272/2008 of the European Parliament and of the Council Cof 16 December 2008 on classification, labelling and packaging of substances and mixtures). ROCKWOOL® are registered with REACH under the following definition: "Man-made vitreous (silicate) fibers with random orientation with alkaline oxide and alkali earth oxide(Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the Note Q conditions". ROCKWOOL products produced in Europe fulfil the Note Q requirements. This is certified by the independent certification body EUCEB (European Certification Board for mineral wool products). More information on EUCEB can be found at www.euceb.org.

#### Indoor environment

There are no legal requirements for indoor emissions of stone wool thermal insulation products.

#### Carbon footprint

Carbon footprint of 1  $m^2$  of a 41 mm thick ROCKWOOL® Granulate Pro with an installed density of  $28 kg/m^3$  (R=1 $m^2$ K/W) is 0,52 kg CO2 eq (including Module A1-C4). This is elaborated per module in the results section.

#### APPENDIX: Additional LCA Results without GOs

The LCA Results were calculated additionally without taking into account the purchase of guarantees of origin. Based on these results the contribution of green electricity and biogas to the reduction of environmental impacts can be observed. ROCKWOOL Nordics has committed to continious purchase of renewable energy certificates for at least the validity period of this declaration.

Calculations are done applying Danish national production mix for electricity and natural gas for gas in manufacturing processes (A3).

National electricity grid	Unit	Value
Denmark, GaBi version 10.0.1 (2021)	kg CO2 -eq/kWh	0,240

Core environmental impact indicators

Indicator	Unit	A1-3	A4	A5	В	C1	C2	C3	C4	D
GWP-total	kg CO2 eq.	7,04E-01	2,76E-02	7,17E-02	MNR	0	4,19E-03	0	1,57E-02	-2,66E-02
GWP-fossil	kg CO2 eq.	7,52E-01	2,74E-02	2,22E-02	MNR	0	4,15E-03	0	1,56E-02	-2,92E-02
GWP- biogenic	kg CO2 eq.	-4,87E-02	0,00E+0 0	4,95E-02	MNR	0	0,00E+00	0	0,00E+00	2,63E-03
GWP- LULUC	kg CO2 eq.	4,82E-04	2,18E-04	1,78E-05	MNR	0	3,43E-05	0	4,60E-05	-4,52E-06
ODP	kg CFC11 eq.	3,65E-09	3,49E-18	1,30E-10	MNR	0	5,34E-19	0	6,08E-17	-3,01E-15
AP	mol H <sup>+</sup> eq.	7,19E-03	5,78E-05	1,62E-04	MNR	0	4,39E-06	0	1,11E-04	-8,34E-05
EP- freshwater	kg P eq.	7,14E-06	4,86E-07	2,01E-07	MNR	0	1,24E-08	0	2,62E-08	-1,31E-08
EP-marine	kg N eq.	9,60E-04	1,60E-05	2,58E-05	MNR	0	1,45E-06	0	2,90E-05	-1,68E-05
EP- terrestial	mol N eq.	2,78E-02	1,83E-04	6,19E-04	MNR	0	1,71E-05	0	3,17E-04	-1,85E-04
POCP	kg NMVO C eq.	2,08E-03	4,54E-05	5,75E-05	MNR	0	3,84E-06	0	8,76E-05	-5,43E-05
ADP-M&M	kg Sb eq.	2,17E-07	2,05E-09	5,02E-09	MNR	0	3,19E-10	0	1,47E-09	-5,44E-09
ADP-fossil	MJ	1,05E+01	3,65E-01	2,89E-01	MNR	0	5,57E-02	0	2,08E-01	-7,39E-01
WDP	m³	1,12E-01	2,32E-04	7,72E-03	MNR	0	3,63E-05	0	1,68E-03	-1,07E-02

GWP-total: Global Warming Potential; GWP-fossil: Global Warming Potential fossil fuels; GWP-biogenic: Global Warming Potential biogenic; GWP-LULUC: Global Warming Potential land use and land use change; ODP: Depletion potential of the stratospheric ozone layer; AP: Acidification potential, Accumulated Exceedance; EP-freshwater: Eutrophication potential, fraction of nutrients reaching freshwater end compartment; See "additional Norwegian requirements" for indicator given as PO4 eq. EP-marine: Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-terrestial: Eutrophication potential, Accumulated Exceedance; POCP: Formation potential of tropospheric ozone; ADP-M&M: Abiotic depletion potential for non-fossil resources (minerals and metals); ADP-fossil: Abiotic depletion potential for fossil resources; WDP: Water deprivation potential, deprivation weighted water counsumption

Reading example: 9.0 E-03 = 9.0\*10-3 = 0.009

Additional environmental impact indicators

Indicator	Unit	A1-3	A4	A5	В	C1	C2	СЗ	C4	D
PM	Disease incid.	5,99E-08	7,34E-10	1,34E-09	MNR	0	2,53E-11	0	1,38E-09	-1,18E-09
IRP	kBq U235 eq.	1,44E-02	6,32E-05	1,12E-03	MNR	0	9,65E-06	0	2,29E-04	-4,73E-04
ETP-fw	CTUe	2,37E+00	2,64E-01	8,30E-02	MNR	0	4,03E-02	0	1,18E-01	-2,75E-02
НТР-с	CTUh	1,76E-09	5,31E-12	3,71E-11	MNR	0	8,12E-13	0	1,75E-11	-3,42E-12
HTP-nc	CTUh	4,37E-09	2,73E-10	2,39E-10	MNR	0	4,20E-11	0	1,92E-09	-1,47E-10
SQP	Dimensi onless	1,11E+01	1,22E-01	2,37E-01	MNR	0	1,91E-02	0	4,20E-02	-5,47E-01

**PM:** Particulate matter emissions; **IRP:** Ionising radiation, human health; **ETP-fw:** Ecotoxicity (freshwater); **ETP-c:** Human toxicity, cancer effects; **HTP-nc:** Human toxicity, non-cancer effects; **SQP:** Land use related impacts / soil quality

### Classification of disclaimers to the declaration of core and additional environmental impact indicators

ILCD classification	Indicator	Disclaimer
	Global warming potential (GWP)	None
ILCD type / level 1	Depletion potential of the stratospheric ozone layer (ODP)	None
	Potential incidence of disease due to PM emissions (PM)	None
	Acidification potential, Accumulated Exceedance (AP)	None
	Eutrophication potential, Fraction of nutrients reaching freshwater end compartment (EP-freshwater)	None
ILCD type / level 2	Eutrophication potential, Fraction of nutrients reaching marine end compartment (EP-marine)	None
index type / level 2	Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	None
	Formation potential of tropospheric ozone (POCP)	None
	Potential Human exposure efficiency relative to U235 (IRP)	1
	Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	2
	Abiotic depletion potential for fossil resources (ADP-fossil)	2
	Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	2
ILCD type / level 3	Potential Comparative Toxic Unit for ecosystems (ETP-fw)	2
	Potential Comparative Toxic Unit for humans (HTP-c)	2
	Potential Comparative Toxic Unit for humans (HTP-nc)	2
	Potential Soil quality index (SQP)	2

**Disclaimer 1** – This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

**Disclaimer 2** – The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

#### Resource use

Indicator	Unit	A1-3	A4	A5	В	C1	C2	C3	C4	D
RPEE	MJ	1,96E+00	1,98E-02	1,66E-02	MNR	0	3,11E-03	0	2,79E-02	-1,30E-01
RPEM	MJ	5,63E-01	0,00E+00	-1,69E-02	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
TPE	MJ	2,52E+00	1,98E-02	-3,25E-04	MNR	0	3,11E-03	0	2,79E-02	-1,30E-01
NRPE	MJ	1,05E+01	3,66E-01	6,73E-02	MNR	0	5,57E-02	0	2,08E-01	-7,82E-01
NRPM	MJ	3,89E-01	0,00E+00	-1,17E-02	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
TRPE	MJ	1,05E+01	3,66E-01	6,73E-02	MNR	0	5,57E-02	0	2,08E-01	-7,82E-01
SM	kg	0,00E+00	0,00E+00	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	-1,04E-01
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
W	$m^3$	3,39E-03	2,27E-05	1,35E-04	MNR	0	3,55E-06	0	5,13E-05	-2,89E-04

RPEE Renewable primary energy resources used as energy carrier; RPEM Renewable primary energy resources used as raw materials; TPE Total use of renewable primary energy resources; NRPE Non renewable primary energy resources used as energy carrier; NRPM Non renewable primary energy resources used as materials; TRPE Total use of non renewable primary energy resources; SM Use of secondary materials; RSF Use of renewable secondary fuels; NRSF Use of non renewable secondary fuels; W Use of net fresh water

#### End of life - Waste

Indicator	Unit	A1-3	A4	A5	В	C1	C2	С3	C4	D
HW	kg	2,59E-07	1,79E-11	5,20E-09	MNR	0	2,81E-12	0	2,21E-11	-4,16E-10
NHW	kg	3,16E-02	5,39E-05	2,52E-02	MNR	0	8,27E-06	0	1,04E+00	-1,09E-02
RW	kg	1,00E-04	4,41E-07	7,93E-06	MNR	0	6,74E-08	0	2,17E-06	-4,31E-06

HW Hazardous waste disposed; NHW Non hazardous waste disposed; RW Radioactive waste disposed

#### End of life – output flow

Indicato r	Unit	A1-3	A4	A5	В	C1	C2	С3	C4	D
CR	kg	0,00E+00	0,00E+00	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
MR	kg	0,00E+00	0,00E+00	1,05E-02	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
MER	kg	0,00E+00	0,00E+00	0,00E+00	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
EEE	MJ	0,00E+00	0,00E+00	5,55E-02	MNR	0	0,00E+00	0	0,00E+00	0,00E+00
ETE	MJ	0,00E+00	0,00E+00	1,66E-01	MNR	0	0,00E+00	0	0,00E+00	0,00E+00

CR Components for reuse; MR Materials for recycling; MER Materials for energy recovery; EEE Exported electric energy; ETE Exported thermal energy

#### Bibliography

ISO 14025:2010 Environmental labels and declarations - Type III environmental

declarations - Principles and procedures

ISO 14044:2006 Environmental management - Life cycle assessment -

Requirements and guidelines

EN 15804:2012+A2:2019 Sustainability of construction works - Environmental product

declaration - Core rules for the product category of construction

products

EN 12939:2000 Thermal performance of building materials and products -

Determination of thermal resistance by means of guarded hot plate and heat flow meter methods - Thick products of high and

medium thermal resistance

EN 12667:2001 Thermal performance of building materials and products –

determination of thermal resistance by means of guarded hot plate and heat flow meter methods – Products of high and

medium thermal resistance

EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements

- Part 1: Classification using data from reaction to fire tests

ISO 21930:2007 Sustainability in building construction - Environmental

declaration of building products

PCR NPCR Part A Construction products and services

PCR NPCR 012:2018 version 2. Part B for Thermal insulation products

Larisa Xanthopoulou Background LCA report for EPDs ROCKWOOL Nordics, Feb. 2022

Larisa Xanthopoulou ROCKWOOL Rules for publishing EPDs, ver.3, December 2021

	Program Operator	tlf	+47 23 08 80 00
© epd-norge	The Norwegian EPD Foundation		
The Norwegian EPD Foundation	Post Box 5250 Majorstuen, 0303 Oslo	e-post:	post@epd-norge.no
	Norway	web	www.epd-norge.no
	Publisher	tlf	+47 23 08 80 00
© epd-norge	The Norwegian EPD Foundation		
The Norwegian EPD Foundation	Post Box 5250 Majorstuen, 0303 Oslo	e-post:	post@epd-norge.no
	Norway	web	www.epd-norge.no
	Owner of the decleration	tlf	+45 46 56 16 16
A DOCKINGO	ROCKWOOL Nordics (ROCKWOOL Group)		
<b>ROCKWOOL</b>	Hovedgaden 501, 2640 Hedehusene,	e-post:	christian.kofod@rockwool.com
	Denmark	web	www.rockwool.com/dk
	Author of the life cycle assesment	tlf	+45 46 56 03 00
A POCKINOO!	Larisa Xanthopoulou	Fax	
A ROCKWOOL	ROCKWOOL International A/S	e-post:	info@rockwool.com
	Hovedgaden 584, 2640 Hedehusene, Denmark	web	www.rockwool.com

# EPD for the best environmental decision



